

OWNER'S MANUAL

Standard



The New Generation Sauna In The World!

● ● ● Dear Customer,

Congratulations on your purchase of the sauna, the new generation Sauna in the world. We are confident that you will enjoy the many benefits of using the sauna for years to come.

Carefully and thoroughly read this manual in its entirety before using the sauna for the first time. We recommend keeping this manual for regular review and future reference.

I attribute this growth and success entirely to our customer satisfaction, the recognized health benefits, and the quality of our workmanship. We use only the finest materials coupled with state-of-the-art construction and the highest safety standard in the industry.

You will be surprised at the noticeable effects on pain relief, weight control, skin stimulation, and stress reduction due to an increased blood circulation when using the sauna.

Whatever your needs, we invite you to experience the difference with the sauna: A difference in health benefit, a difference in quality, and a difference in attitude of our team service and support.

The whole team is looking forward to serving your needs.

● ● ● TABLE OF CONTENTS

Conditions of use Page	(1)
Packaging and Individual Panel Information Page	(1)
Installation Information Page	(4)
Assembly Instructions Page	(4)
Digital Controller Operating Instructions Page	(15)
Oxygen Ionizer Application Guide Page	(17)
Enjoying Your Sauna Page	(17)
Tips for Use Page	(18)
Warnings Safety Instructions Page	(20)
Limited Warranty Page	(21)
Frequently Asked Questions Page	(23)
Maintenance Page	(27)
4 Person Model only	(28)
Corner Mode only	(29)

●●● **Conditions of use**

- 1. Temperature from +5 °C ~ +40 °C
- 2. Relative humidity ≤ 85%
- 3. Depression: 700~1060 hpa
- 4. Main supply: AC ☐ 110V ☐ 220V ☐ 240V
Frequency ☐ 50Hz ± 1 ☐ 60Hz ± 1



●●● **General technical characteristics**

- 1. Functions processed by microprocessors
- 2. Temperature adjustable from 18 °C to 75 °C
- 3. Adjustable dwell time from 0 to 90 minutes
- 4. Digital temperature sensor
- 5. Soft touch key
- 6. Long-life ceramic infrared heater

●●● **Packaging and Individual Panel Information**

The sauna comes packaged in 2 boxes:





PLEASE FIND OUT THE SAME NUMBER OF THE CARTON BOX.
FOR EXAMPLE: "NO.001 1 OF 2" FIT "NO.001 2 OF 2" on carton package.
THEN YOU CAN ASSEMBLE OUR SET VERY EASILY.




NOTE: PLS DO NOT MIX PACK (MEANS PARTS FROM DIFFERENT BOXES CAN NOT BE INSTALLED TOGETHER, OR EXCHANGED).


Parts list of a sauna room	
Bottom Panel	Top Panel
Bench Panel	Bench Heater Panel
Front Panel	Left Side Panel
Right Side Panel	Back Panel
Accessory	

Below are pictures of individual panels for the 2-person model. Other models vary.

Front Panel	Bottom Panel
	
Top Panel	Back Panel
	



⚠ WARNING!!! The receptacle provided by the manufacturer must be installed by a qualified electrician only.



● ● ● Installation Information

- Do not plug any other appliances into the outlet with your sauna.
- the sauna should always be placed on a fairly leveled surface.
- the sauna must be placed indoors and in a dry area.
- Do not spray the exterior with water. If the floor is damp, install a floor separator to keep the sauna high & dry.
- Do not store flammable objects or chemical substances near the sauna.

● ● ● Assembly Instructions

Assembly of the sauna requires at least 2 adults to complete. Please read the instructions thoroughly before and during assembly to ensure proper installation of the unit. If you encounter any problems or have questions during assembly, please feel free to call our Customer Service or local dealers.

(1) LOCATION OF SAUNA

When determining a location for your sauna, please keep in mind the following:

- The Main Power Cord on the sauna must be easily accessible.
- The location must be dry and leveled.

(2) PLACING BOTTOM PANEL



Place the Bottom Panel on the ground and make sure that the "FRONT" sticker is facing the direction where the front of the sauna would be.



(3) CONNECTING BACK PANEL TO BOTTOM PANEL

Connect the Back Panel to the Bottom Panel by lining up the Back Panel on the groove of the Bottom Panel. Align buckles on both panels and fasten them if applicable.


Keep in mind that the Back Panel will not have enough support from the buckles alone until the Side Panels have been installed in place.



Left



Right




(5) INSTALLING BENCH HEATER PANEL

Slide down the Bench Heater Panel by lining up its sides with the Vertical Guides on each Side Panel.

1. Bench Heater Panel must be positioned so that the "TOP" sticker is facing up and the heater facing outward.

2. Be careful not to scratch the Side Panels when positioning the Heater Panel.






(6) PLUGGING BENCH HEATER CABLE

Plug in the Bench Heater Cable to the Outlet located on the Back Panel.
Make sure connection is secure.




(7) INSTALLING BENCH PANEL

Install the Bench Panel by sliding it over the Horizontal Guides on each Side Panel. Be careful not to scratch the Side Panels when doing so. Make sure to position the Bench so that the "BACK" sticker is facing back, the smooth and finished sides of the Bench are facing up and forward.



(8) INSTALLING WOODEN WEB



Screwing the screws of the web back to the back panel and bench.

(9) CONNECTING FRONT PANEL

Place the Front Panel onto the recessed area where the "FRONT" sticker is. Align buckles with both Side Panels and secure in place by fastening the buckles.

Left




Right



(10) PLACING TOP PANEL


1. Open Sliding Doors located on the Top Panel.
2. Put the Top Panel on the assembled panels.
The Top Panel must be positioned so that the Cables on the Top Panel are in the frontleft corner, right above the stereo.
3. Plug the heater wires through the holes around the Top Panel
4. Gently place the Top Panel onto the rest of the assembled panels. When all four corners are in place, gently push down the Top Panel until it is snugly fit over the rest of the panels.
5. Make sure that the cables around the corners do not get pinched between the panels.



(11) POWER SUPPLY CONNECTIONS

All the inside wall's heater elements are pre-wired inside the wall. Make Power Supply connections on the Top Panel.

1. Open the Sliding Door located on the Top Panel where you can find wire terminals.
2. Loose screws , try to put the end of the wire on to it . Then screw tightly. Make sure red wire to red one and black to black. Finally put the plastic cover on terminals just like illustratrator shows.




3. Make sure all connections are secure and close the cover.







(12) INSTALLING STEREO

Slide the CD-player into the slot provided on front panel.



Attach the metal blockers to secure the CD-player into place. Bend the metal blocker, fix one side of metal blocker to the back of CD with screw cap, and the other side to the top panel with screw.



- ① Assemble CD stereo, please operating as this indication show.
- ② If you want to take out CD stereo, first, please plug in the two keys at both sides of CD stereo, second, drawing CD stereo out.



(13) STEREO AND CONTROL PANEL CONNECTIONS

All wiring from the ceiling's Power Board should be draped inside the Top Panel.


Firstly plug the antenna.




Plug the Connector pin to the socket on the back of the CD(You can pull out by pressing the side of the connector pin).



Standard Control Panel





Plug the 5 pin's plug onto the 5 pin's socket of the control panel.
Plug the ends of two wires onto the switch





Attach the stereo box by screws.



Plug the connector pin of the inside control panel in the connector socket, make sure the bulge of the plug fit directly to its hollow of the socket.



Attach the inside control panel by screws, keep mind to let the temperature sensor through the below hole of the inner control panel box, make sure the sensor do not touch any wood around it.



(14) INSTALLING OXYGEN IONIZER




plug the power



Hang up ionizer on a screw hook in the top left corner.

(15) INSTALLING CUP HOLDER



Attach cup holders in the fore left corner and the fore right corner (when sitting in the sauna).

(16) DOORKNOB INSTALLATION

Install the Outside Doorknob

1. Align the Outside Doorknob against 2 holes on the outside of the door, hold it at an angle against the door.
2. Insert the Screw into the hole located on the inside of the door. Screw until it is tightly fit.



(17) PLUG YOUR SAUNA INTO THE WALL OUTLET, AND IT'S READY TO BE ENJOYED BY YOU AND YOUR FAMILY!

● ● ● Digital Controller Operating Instructions Standard Digital Keypad Instructions

Temperature	TEMPERATURE UP/DOWN ARROWS
Time	TIME UP/DOWN ARROWS
Set	adjust session time
Power	Power on/off
TEMP	Display temperature
TIME	Display temperature
Power/Heat/Set	Status Indicator



Standard Panel




Figure 1

1. Turn on the main POWER switch. The POWER indicator turns on, the light in the room turns on. (Figure 1)

Press the key SET to start. The HEAT LIGHT indicator turns on. the sauna will automatically start with a preset setting until changes are made. preset session time is 38 minutes, and temperature is 40 °C (Figure 2)




Figure 2

2. Press the key SET again to adjust the temperature. While the SET indicator turns on, press the TEMP key + or - to adjust the temperature, and press the key SET again, the display indicates the temperature in the Room. (Figure 3)




Figure 3

3. Press TIME key + or - to adjust the time. (Figure 4)
4. When the time display indicates 00, the room stops heating.





Figure 4

● ● ● **OXYGEN IONIZER APPLICATION GUIDE** (Only suitable for the models that chosen Oxygen Ionizers)

Ionizer Release negative ion to purify the air , Dispense natural floral fragrances to enhance people's mood and help stimulate relaxation



1. Turn to PXO , Release negative ion and dispense natural floral fragrances
2. Turn to PX , dispense natural floral fragrances
3. Turn to OFF, shut down ionizer



Replacing the fragrance box

1. Take off the oxygen ionizer
2. Open the back piece of it
3. Take out the floral fragrance box inside of it.

● ● ● **Enjoying your Sauna**

INSTRUCTIONS FOR USE

Review all health and safety instructions. If in doubt as to the advisability of using your infrared sauna, consult with your physician. If you feel light-headed or heat-exhausted during a session, exit the sauna immediately.

1. Set the temperature to a comfortable level, normally, 40-50°C.
2. Allow approximately 8-15 minutes for the sauna to warm up before beginning a session.

● ● ● **Tips for Use**

3. Perspiration will begin within 6 to 15 minutes after stepping into the unit. We recommend that a sauna session does not exceed 30 minutes.
4. When the temperature reaches the level set on the thermostat, the heaters will turn off and on periodically to maintain the desired temperature level inside of the sauna.
5. The front door/window and/or ceiling vent can be opened at any time to introduce fresh air into the sauna.
6. Infrared's unique property of direct penetration into the body without heating the intervening air in-between allows sauna users to enjoy all of its benefits while the door or window of a sauna is open for ventilation.
7. Always drink plenty of water before, during, and after a sauna session. Doing so will replenish lost fluids from the body through perspiration.
8. Choosing to take a hot shower or bath prior to the sauna session will further promote perspiration. However, dry off thoroughly before going into the sauna because excessive water will stain or warp the wood. A shower after the session is refreshing and rinses perspiration from the body.
9. To absorb perspiration and keep the sauna tidy during the session, place a towel on the bench and floor of the sauna. Keep one towel handy to wipe excessive sweat from your body.

- 1) To regulate the temperature inside the sauna during your session, use the roof vent or the door window (by setting it at an angle).
- 2) If you feel the need for more cooling, simply leave the door open until the air around you feels comfortable enough.

- 3) Drink plenty of fluids prior to, during, and after your session.
- 4) If you take a hot/warm shower or bath before your sauna session, you may perspire more. Try it with and without bathing or showering first to determine which way you prefer.
- 5) To utilize the sauna's heat therapy effect, give your hair a hot oil treatment while in the sauna. Put oil or treatment into your hair and wrap it with towel. After the session is over, rinse your hairthoroughly.
- 6) Use at least 2-3 towels. Sit on one towel folded over several times for added cushioning. Put another towel on the floor to absorb extra sweat. A third towel draped over the knees may aid you in comfort and is useful to towel off sweat.
- 7) Be sure to towel off excess sweat during your session to help the body perspire more freely.
- 8) To help relieve sore and tense muscles, massage the affected areas while in sauna to help heal faster.
- 9) Shaving your face or legs with a razor while profusely sweating in a sauna yields an incredibly smooth result without the use of gels or foams.
- 10) Do not eat anything at least an hour before your sauna session. It is better to go in the sauna on an empty stomach. You are more likely to feel uncomfortable sitting in a sauna with a full stomach.
- 11) To make the most out of your sauna session, work your muscles while in the sauna. Stretch your arms and legs, massage your neck, massage your feet, etc.
- 12) You can benefit from the relaxing and soothing effects of a regular sauna session by going to sleep afterwards. The peaceful and relaxed state rendered by a sauna session will help you sleep easier and better.



Warnings

Safety Instructions

1. Read and follow all instructions carefully.
 2. When installing and using this electrical equipment, basic safety precautions should always be followed.
 3. Do not use the sauna immediately following strenuous exercise. Wait at least 30 minutes to allow the body to cool down completely.
- Safety precautions**
- a. To avoid fire, do not dry clothes or leave any towels in the sauna.
 - b. To prevent burns or electric shocks, do not touch or use metal tools on the net cover of the far infrared heater elements.
 - c. While in the sauna, do not touch the light bulb. If the bulb needs

to be changed, switch it off and wait until the sauna is shut off and the bulb is cool

d. Do not spray water on the far-infrared tube. This activity may result in electric shock or damage to the heater elements.

e. Do not use the sauna if you have any of the following conditions:

- 1) Open wounds
- 2) Eye diseases
- 3) Severity sunburns
- 4) Elderly & weak people, especially those suffering from a disease, pregnant women and infants are prohibited. Children over the age of 6 years of age may use the sauna under the supervision of adults.
- 5) If suffering from a disease directly related to temperature, seek the advice of a doctor before use.
- 6) Persons suffering from obesity or with a medical history of heart disease, low or high blood pressure, circulatory system problems, or diabetes should consult a physician prior to using the sauna.
- 7) Persons using medications should consult a physician before using the sauna since some medications may induce drowsiness while others may affect heart rate, blood pressure, and circulation.
- 8) Do not place pets in the sauna.
- 9) Do not use the sauna if you are under the effects of alcohol. The use of alcohol, drugs, or medications prior to or during the sauna session may lead to unconsciousness.

● ● ● **Limited Warranty**

We warrants the sauna to be free of defects in material and workmanship.

- | | |
|--------------------------|-----------|
| 1) Heaters | 18 months |
| 2) Workmanship | 18 months |
| 3) Electrical Components | 18 months |

4) Radio/CD player 12 months

This warranty extends only to the original retail purchaser of the sauna and terminates upon transfer of ownership. Freight charges to and from the customer are the responsibility of the customer. This includes freight charges for parts shipped to enable the services of your sauna.

This warranty is void if the sauna has been altered, misused, or abused. Such instances shall include operation or maintenance of the sauna in deviation to the published instructions. The warranty extends only to the manufacturing defects and does not cover any damages resulting from mishandling of the product by the owner.

We shall not be liable for the loss of use of the sauna or other incidental or consequential damages. Under no circumstances shall we or any of its representatives be held liable for injury to any persons or damages to any properties. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state. Specifications are subject to change without notice.

For your record, please complete the following information. You will need to refer to these information when calling the manufacturer for customer service.	
Date of Purchase	
Date of delivery	
Model Number	
Serial number	
Dealer Information (Name & Phone)	

●●● **Frequently Asked Questions**



PS: MAKING SURE SHUT OFF ELECTRICITY BEFORE YOU DOING IT.

1. The controll panel does not work

Problem	Explanation	Solution
1 The power indicator is not on.	The fuse is broken or the sauna is not plugged in.	Change the fuse or plug in the sauna.
2 The soft keys do not work.	Unplug sauna,wait a minute, and plug back into power source.	

Change the fuse

Replace the old fuse with a new one.(fuse on the top panel)



1. open the slide door of fuse



2. pull down the small basket of fuse



3. take fuse out , the push in a new fuse




4. put the finished basket in to the origina place, finally close the wood door of fuse.


2. Reading light does not work

Problem	Solution
1 The bulb filament is burned out.	Change the bulb (≤40 watt).

Change the bulb

Push down the bulb together with the cover from the top panel, then pull down the plug. Take off the metal pin around the bulb while also take down the broken bulb, next , put a new bulb into the original place , put on pin and install onto the top.





Circuit Diagram for Standard control panel

3. The heater does not heat up

Problem	Explanation	Solution
1 Part of the heater does warm up.	The heater is defective A portion of the heater is not connected well or is burned out.	Replace with a new heater Connect them tightly.
2 The entire room does not heat up.	The relay is damaged.	Replace the relay
2 The entire room does not heat up.	The control panel is damaged The plug is not plugged in correctly.	Replace the control panel. Re-plug in the machine.
3 Bench heater does not heat	The bench heater cable is not plugged tightly into the outlet on the Back Panel	Plugged tightly

Change the ceramic infrared heater.




Firstly take away the metal cover on the heater.

1. Screwing the screws of the out cover and displace it.

2. Screwing the ceramic hat of the tube, take away ceramic protect, screwing the metal screw inter of it, moving lines away.

3. Doing the same process as 2, and than, dismantling the bottom fixing tube steel wire away.

When you assembling it, please doing the process from 3 to 1
Finally close the web cover .



● ● ● Maintenance

1. Cleaning

- Clean the faceplate with a wet towel, or clean with a small amount of hand-soap missed with warm water if necessary. Clean the sauna room with a wet cotton towel, dry with a clean dry towel. Do no use benzene, alcohol, or strong cleaning chemicals on sauna.







NOTE: Any chemical that can damage wood material will damage the sauna and the protection layer that is on the wood.

● ● ● Transportation and storage

- Avoid exposure to rain, snow or strong collisions during transport.
- Do not store in damp environments.

● ● ● ● 4 Person Model only:




There are 2 benches for 4 person models. Horizontal bench guides are located on the front and back panel. Slide the bench all way in until it touches the side panel and is securely in place.

Front panel must be installed prior to installing bench heater panels and benches for 4 Person models.

● ● ● **Corner Mode only:**

1. Place the bottom panel on the ground.



2. Connect the left back panel to the bottom panel by lining up the back panel on the groove of the bottom panel. Align buckles on both panels and fasten them, if applicable.



3. Connect two back panels by lining up buckles and fastening them securely in place.



4. Connect the side panels (Left & Right) to the back panel using sliding hinges.

Each side panel has a white label to identify which side it is. The panel with "LEFT" label should be placed on the left side when facing the sauna from the front. The panel with "RIGHT" label should be placed on the right side when facing the sauna from the front.



5. Install the right heater bench first by sliding it over the Vertical bench guides. And then install the left heater bench.

Plug in the Bench Heater Cable to the Outlet located on the Back Panel. Make sure connection is secure.

Install right and left benches. Be careful not to scratch the adjacent panels when sliding in the bench. Push the benches all the way in until they touch the back panel and are securely in place.





6. Place the whole front panel onto the recessed area on the bottom panel. Align buckles with both side panels and secure in place by fastening them.

7. Lower the top panel onto the assembled panels.

(1). The top panel must be positioned so that cables on the top panel are in the front left corner, right above the CD Player.

(2). Gently place the top panel onto the rest of the assembled panels. When all corners are in place, gently push down the top Panel from the outside corners until it is snugly fit over the rest of the panels.

(3). Make sure that the cables in the front left corners do not get pinched between the panels.



EXTERIOR LAMP SWITCH

To enjoy the deluxe exterior lamp, turn on the switch on the top left hand corner.

Model	Specification	
	inch	cm
<input type="checkbox"/> 1 person	35.5 × 35.5 × 75	90 × 90 × 190
<input type="checkbox"/> 2 person	47 × 39.5 × 75	120 × 105 × 190
<input type="checkbox"/> 3 person	60 × 49 × 75	153 × 125 × 190
<input type="checkbox"/> 4 person	71 × 49 × 75	180 × 125 × 190
<input type="checkbox"/> 5 person	86.5 × 49 × 75	220 × 125 × 190
<input type="checkbox"/> 3-4P corner	59 × 23.5 × 49 × 75	150 × 60 × 125 × 190

Packing list

sauna room	1
owner's manual	1